

*C. gl*

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

First Named Patentee : Nanu Brates et al.

Appln. No. : 10/607,162

Filed : June 26, 2003

Title : High Efficacy Metal Halide Lamp with Configured  
Discharge Chamber

Patent No. : 7,262,553

Issued : August 28, 2007

Docket No. : M894.312-0011

**Certificate**  
**FEB 21 2008**  
**of Correction**

**REQUEST FOR CERTIFICATE OF CORRECTION**

Commissioner For Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

I CERTIFY THAT THIS PAPER IS BEING SENT BY U.S. MAIL,  
FIRST CLASS, TO THE ASSISTANT COMMISSIONER FOR  
PATENTS, ALEXANDRIA, VA 22313, THIS 12<sup>th</sup> DAY OF

February, 2008.  
*[Signature]*  
PATENT ATTORNEY

In conformity with the notice appearing in the May 6, 1969 Official Gazette,  
Applicant requests a Certificate of Correction in connection with the above-identified patent.

Form PTO-SB/44 entitled CERTIFICATE OF CORRECTION setting out the errors  
has been completed and is enclosed. Applicant respectfully requests that the enclosed Certificate  
be approved and signed by an Attesting Officer, and that a copy be returned to Applicant's attorney  
for attachment to the original Certificate of Letters Patent.

All of the errors requested to be corrected appear to have occurred in the printing of  
the patent, therefore no fee is required.

RECEIVED-USPTO  
Patent Publication


FEB 22 2008

The Commissioner is authorized to charge any additional fees associated with this communication or credit any overpayment to Deposit Account 11-0982.

Respectfully submitted,

KINNEY & LANGE, P.A.

By: \_\_\_\_\_



Theodore F. Neils, Reg. No. 26,316

THE KINNEY & LANGE BUILDING

312 South Third Street

Minneapolis, MN 55415-1002

Telephone: (612) 339-1863

Fax: (612) 339-6580

TFN:dab

RECEIVED-USPTO  
Patent Publication

FEB 22 2008

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**

Page 1 of 1

PATENT NO. : 7,262,553

APPLICATION NO.: 10/607,162

ISSUE DATE : August 28, 2007

INVENTOR(S) : Nanu Brates, et al.

It is certified than an error appears or errors appear in the above-entitled patent and that said Letters Patent is hereby corrected as shown below:

Column 9, Line 24, delete "9." and insert --10.--

Column 9, Line 26, delete "10." and insert --9.--

Column 9, Line 28, delete "10" and insert --9--

Reorder claims 9 and 10 so they are in correct sequence as renumbered

MAILING ADDRESS OF SENDER (Please do not use customer number below)

Theodore F. Neils, Kinney & Lange, P.A.

312 South Third Street

Minneapolis, MN 55415-1002

RECEIVED-USPTO  
Patent Publication

FEB 22 2008